

Fieldwork

Coastal Landforms and Historical Shoreline Change on the West Coast of Hawai'i

By Cheryl Hapke and Bruce Richmond

Scientists from the U.S. Geological Survey (USGS)'s Coastal and Marine Geology Program have recently begun work with the National Park Service (NPS) to help create an inventory of geologic resources for two National Historical Parks (NHPs) and one National Historic Site (NHS) on the west coast of the Big Island of Hawai'i (see *Sound Waves*, February 2004). Part of this effort involves making coastal-landform maps to be incorporated into a geographic-information-system (GIS) data layer. A long-term historical-shoreline-change analysis is also part of the inventory.

In February 2004, a team of scientists from the USGS offices in Santa Cruz and Menlo Park, CA (**Cheryl Hapke, Bruce Richmond, and Tom Reiss**), conducted ground-based fieldwork at the three sites: Kaloko-Honokohau NHP, Pu'ukohola Heiau NHS, and Pu'uhonua O Honaunau NHP on Hawai'i's west coast. The purpose of the fieldwork was to collect ground-control points for photogrammetric pro-

(Hawai'i continued on page 2)

Correction for April issue:

Research scientist **Alan Jones's** affiliation was incorrectly identified as Purdue University in the article "USGS Scientist Inspires Students at a High-School Career Day in California" in the mailed edition of the April 2004 *Sound Waves*. **Jones** is currently on the faculty at Binghamton University in New York State (he earned his Ph.D. at Purdue). We apologize for the error.

—Editor



(From left to right) Rick Gmirkin, NPS archeologist, explains to Tom Reiss and Cheryl Hapke how recent storm waves partly destroyed the Kaloko fishpond wall. In the background (inset) is one of the GPS receivers set up to record the position of a corner of the fishpond wall.



Bruce Richmond mapping an ephemeral flood-delta deposit at Pu'ukohola Heiau NHS. His equipment includes a GPS receiver and antenna in a backpack, used to accurately map the spatial distribution of coastal landforms in the field.

Sound Waves

Editor

Helen Gibbons
Menlo Park, California
Telephone: (650) 329-5042
E-mail: hgibbons@usgs.gov
Fax: (650) 329-5198

Print Layout Editors

Susan Mayfield, Sara Boore
Menlo Park, California
Telephone: (650) 329-5066
E-mail: smayfiel@usgs.gov; sboore@usgs.gov
Fax: (650) 329-5051

Web Layout Editor

Trent Faust
St. Petersburg, Florida
Telephone: (727) 803-8747 Ext. 3043
E-mail: tfaust@usgs.gov
Fax: (727) 803-2030

SOUND WAVES (WITH ADDITIONAL LINKS)
IS AVAILABLE ONLINE AT URL
<http://soundwaves.usgs.gov/>

Contents

| | |
|------------------------------|----------|
| Fieldwork | 1 |
| Research | 3 |
| Meetings | 4 |
| Staff and Center News | 6 |
| Publications | 7 |

Submission Guidelines

Deadline: The deadline for news items and publication lists for the July 2004 issue of *Sound Waves* is Wednesday, June 16.

Publications: When new publications or products are released, please notify the editor with a full reference and a bulleted summary or description.

Images: Please submit all images at publication size (column, 2-column, or page width). Resolution of 200 to 300 dpi (dots per inch) is best. Adobe Illustrator® files or EPS files work well with vector files (such as graphs or diagrams). TIFF and JPEG files work well with raster files (photographs or rasterized vector files).

Any use of trade, firm, or product names is for descriptive purposes only and does not imply endorsement by the U.S. Government.

U.S. Geological Survey Earth Science Information Sources:

Need to find natural-science data or information? Visit the USGS Frequently Asked Questions (FAQ's) at URL <http://ask.usgs.gov/faqs.html>

Can't find the answer to your question on the Web? Call **1-888-ASK-USGS**

Want to e-mail your question to the USGS? Send it to this address: ask@usgs.gov

Fieldwork, continued

(Hawai'i continued from page 1)

cessing of aerial photographs that will be used in the shoreline-change analysis, as well as to begin mapping coastal landforms in the parks.

The first phase of the coastal-landform mapping focused on identifying shoreline features. Large segments of all three of the parks' shorelines consist of a low-lying basalt terrace or bench overlain by carbonate sand and gravel beaches. These perched, or storm, beaches are typically active only during large-wave events. As luck would have it, the team arrived for their fieldwork during just such an event; however, access to many of the beaches was closed because of hazardous conditions. Although large-wave events are positive processes in terms of delivering sediment to the beaches, these events are also responsible for damage to many of the unique Hawaiian historic

sites that dot the coast. An improved understanding of the processes that shape the parks' coast will help park personnel better manage park resources.

For the aerial-photographic analysis, five to six ground-control points were collected in the vicinity of each of the three sites, using survey-grade Ashtech receivers and antennae. **Tom Reiss** set up a base station at the house we were renting (our neighbors were probably a bit perplexed), and team members occupied each ground-control point for approximately 45 minutes to collect global-positioning-system (GPS) data. All the ground-control points were identified on existing aerial photographs before the fieldwork; they included such locations as intersections of paths, corners of cement blocks, and corners on the walls of fishponds (prehistoric enclosures built by Hawaiians for raising fish).

(Hawai'i continued on page 3)



A classic example of a perched beach at Pu'uuhonua O Honaunau NHP. The long-term-shoreline-change photographic analysis will examine the migration of the shoreline reference feature (SRF), which is the seaward edge of the sand.

Fieldwork, continued

(Hawai'i continued from page 2)

Future work will include additional offshore surveys to continue mapping of the coral reefs at Kaloko-Honokohau NHP and initiation of offshore mapping at both Pu'ukohola Heiau NHS and Pu'u honua O Honaunau NHP. More detailed coastal-landform mapping will also be conducted at all three parks. 🌿

Cheryl Hapke explains the long-term-shoreline-change project to park superintendent **Daniel Kawaiaea** at Pu'ukohola Heiau NHS, while keeping an eye on a GPS base station.




Research

Cooperative Study Notes Increased Occurrences of Infectious Disease in Our Oceans

By Gloria Maender

Outbreaks of infectious disease in natural communities have increased in frequency in several major groups of marine life during the past 30 years, suggests a new review of scientific literature by Cornell University and the U.S. Geological Survey (USGS) published in the April issue of the *Public Library of Science (PloS) Biology*. This study lends support for the need to understand disease dynamics in the oceans and marks the first quantitative use of normalized trends in the scientific literature to test an ecological hypothesis.

The study found an increased number of reports in the scientific literature of disease outbreaks among turtles, corals (noninfectious bleaching), mollusks, mammals, and urchins, said **Kevin Lafferty**, a USGS marine ecologist in Santa Barbara, CA, and coauthor with **Jessica Ward**, a graduate student at Cornell University. The scientists detected no significant trends for seagrasses, decapods, corals (infectious disease), and sharks/rays (close relatives grouped together for the study). Most surprisingly, the scientists found evidence of a decreased number of reports of disease outbreaks in fishes.



Many gorgonian corals, like this sea fan that **Jessica Ward** swims toward, died in 1999 at this site in Palau. Photograph by **Drew Harvell**, Cornell University.

Although stress may make individuals more susceptible to disease, disease outbreaks are also associated with population density, which aids in the transmission of disease between individuals of a species, noted **Lafferty**.

“Infectious disease should increase in thriving populations as much as or more than in stressed populations. Probably the most alarming result of our study is the suggestion of fewer diseases in fishes.

As we fish stocks down, the remaining individuals may be too sparse to transmit infectious diseases,” said **Lafferty**.

The USGS scientist noted that this research would not have been possible until a couple of years ago because the databases on scientific research only recently became extensive enough to allow scientists to use the data from previous research efforts to test scientific hypotheses, includ-

(Infectious Diseases continued on page 4)

Research, continued

(Infectious Diseases continued from page 3)

ing trends in population status possibly attributable to specific factors.

“Ideally, we would have complete records of disease outbreaks for all marine organisms,” commented **Ward**. “However, that is an unrealistic expectation, even today, given that extensive surveys are difficult in terms of both time and money. So, we developed and tested a method to circumvent this problem.”

In the absence of baseline data on changes in disease occurrence over time, this new study used publication effort by marine scientists as an indirect way to detect important trends in disease occurrence. **Ward** and **Lafferty** searched the Science Citation Index Expanded online database, which references almost 6,000 journals, for titles from 1970 to 2001 that reported on disease in organisms from naturally occurring populations of nine marine groups: turtles, corals, mammals, urchins, mollusks, seagrasses, decapods, sharks/rays and fishes.

The idea is that scientists, through their publication efforts, can collectively document changes in natural phenomena over time, assuming that scientists actually pursue problems in proportion to their frequency in nature. Simply counting reports, however, is misleading because of the general increase in the number of scientific publications and other potential biases. **Ward** and **Lafferty** quantified the reports of disease, and normalized the data by



*Diseased Pachyseris coral in Palau. The dark band is a cyanobacterium currently being studied to determine whether it poses a threat to other corals. Photograph by **Drew Harvell**, Cornell University.*

taking an annual proportion of disease reports and eliminating various biases, such as multiple reporting of the same disease outbreak. Their approach worked well for a test case, raccoon rabies. Publication effort followed the actual spread of this disease over time. The disparity in the results among different types of marine life suggests that the trends in disease reports were not simply a result of disease becoming a fashionable topic for study in recent years.

With rising human stresses on the environment, understanding disease dynamics is vital to conserving marine ecosystems, warn the authors. Environmental factors such as global climate change could have complex effects on disease, and they recommend that future research look more

closely at disease impacts within each marine group and consider the wide range of environmental factors that can affect disease, including warming, pollution, exotic species, and fishing. Although marine organisms are hosts for a diversity of infectious diseases, mortalities in hosts—for example, a loss of seagrass beds—can cascade throughout ecosystems.

“Although we are concerned that human impacts to the ocean may favor diseases, our study does not simply give the impression that global warming and pollution are making everything sick,” **Lafferty** said. “Disease responds in complex ways to the environment, and it will be a challenge to better understand and manage disease in the ocean.”✿

Meetings

USGS Participates in Multidisciplinary Cape Cod Natural History Conference

By **S. Jeffress Williams**

Have you ever attended a science conference in which the talk and poster topics ranged from “Noise in the Oceans and Effects on Whales” to “GIS Study of Effects of Roads on Wildlife and Habitats” to “Extremophile Organisms are Everywhere” to “Coastal Geology and Effects of Sea Level Rise—Past, Present, and Future” to “Mating Behavior of Spiders”? Certainly, American Geophysical Union (AGU) meetings address diverse topics,

(Cape Cod continued on page 5)



*Conference participant examines **Jeff Williams'** poster “Coastal Vulnerability Assessment of Cape Cod National Seashore to Sea-Level Rise.”*


Meetings, continued

(Cape Cod continued from page 4)

but AGU talks are typically organized into narrowly focused sessions.

Recently, the U.S. Geological Survey (USGS) participated in the Cape Cod Natural History Conference, which included a total of 16 talks and 10 posters with clear linkages among broad-ranging topics, but no overlap in subject matter. The only thing that the talks had in common was that they focused on the Cape Cod-Nantucket-Martha's Vineyard region and truly fit the definition of "multidisciplinary."

Sponsored and organized by the Massachusetts Audubon Society (Mass Audubon)'s Wellfleet Bay Wildlife Sanctuary, the conference was held on March 20, 2004, at Cape Cod Community College. Participating from the USGS were **S. Jeffress Williams** (USGS Woods Hole Science Center), who gave an invited talk titled "Coastal Geology of Cape Cod—Effects of Sea-Level Rise: Past, Present, and Future" and presented a poster titled "Coastal Vulnerability Assessment of Cape Cod National Seashore



Opening slide of **Jeff Williams'** invited talk at the Cape Cod Natural History Conference.

to Sea-Level Rise." The poster was based on an ongoing national study with colleagues **Elizabeth Pendleton** and **Rob Thielier** (both of the USGS Woods Hole Science Center) in collaboration with the National Park Service (a USGS Open-File Report on the topic is available at URL

<http://pubs.usgs.gov/of/2002/of02-233/>). In addition, **Chris Polloni** and **Nancy Soderberg** (also from the USGS Woods Hole Science Center) arranged materials for a table of USGS products that proved to be especially popular with the 300 attendees. ☼

Tampa Bay Study's Third Annual Science Conference

By Jennifer Rosser

The third annual science conference for the Gulf of Mexico Integrated Science Tampa Bay Study was held January 30 in Ruskin, FL. The conference gave U.S. Geological Survey (USGS) scientists and partners the opportunity to review relevant research and discuss the future direction of the Tampa Bay Study. The conference was beneficial because the format was interactive and fast paced. The focus topics of the conference included integrated modeling, mapping, history and prehistory, wetlands, benthic habitats, water and sediment quality, and data and information management. Teams of scientists presented accomplishments and current research in their particular tasks of the Tampa Bay Study. Each presentation included a poster to be reviewed and discussed. Approximately 100 people from

(Tampa Bay continued on page 6)



Breakout group includes (left to right) **David Hollander**, USF; **David Hastings**, Eckerd College; **Dawn Lavoie**, USGS; and **Deb Willard**, USGS.

Meetings, continued

(Tampa Bay continued from page 5)

19 different agencies participated in the conference.

Participating agencies and partners included ETI Professionals, Inc., Johnson Controls World Services, Inc., the USGS National Wetlands Research Center, the Tampa Bay Estuary Program, the Florida Marine Research Institute, the National Oceanic and Atmospheric Administration, Pinellas County Environmental Management, Eckerd College, the University of Florida, the University of South Florida (USF), the University of Louisiana, Delta Seven Inc., the University of Pennsylvania, Lewis Environmental Services, Inc., the U.S. Fish and Wildlife Service, the U.S. Army Corps of Engineers' New Orleans District, the Geological Survey of Alabama, the Southwest Florida Water Management District, the Florida Department of Environmental Protection, and the Environmental Protection Commission of Hillsborough County.

To access the USGS Gulf of Mexico Integrated Science Tampa Bay Study's home page, visit URL <http://gulfsci.usgs.gov/>.



Steve Travis (USGS, Biological Resources Discipline, Lafayette, LA) presented a poster entitled "Rambling Tampa Reds: What Population Genetic Structure of *Rhizophora* mangle Reveals About Patterns of Gene Flow in Tampa Bay, Florida."



Justin Krebs (ETI Professionals, Inc./USGS, St. Petersburg, FL) discussed his poster entitled "Community Structure and Habitat Use by Fish Assemblages in Altered Wetlands: An Ecological Comparison of Mosquito Ditches and Natural Tidal Creeks."

Staff and Center News

Colonial Period Comes to Life (and Print!) with the Help of USGS Scientist Terry Bruns

By Helen Gibbons

It's a scene frozen in time, a snapshot of life in a colonial town about 230 years ago—sort of. Costumed fifth-graders stand like statues—well, almost like statues; there's some shifting and the clatter of a dropped spoon—as a group of first-graders files in to see the display. Once the younger children are seated in the middle of the reconstructed village, they're greeted by fifth-grade "colonists" who say, "Welcome to Landelsburg! 'Tis the year seventeen and seventy-five." That's the cue for the scene to come to life: cobblers begin tapping on shoes in the Boot and Shoemaker Shop, workers at the Bakery urge passersby to sample their baked goods, well-to-do young ladies do needlework in the parlor of the Governor's mansion, and a group of young assistants in the Printing Office

resume printing copies of the *Landelsburg Gazette*.

Presiding over the Printing Office—authentically attired in waistcoat, breeches, tricorner hat, and buckled shoes—is **Terry Bruns**, Associate Chief Scientist of the U.S. Geological Survey (USGS)'s Western Coastal and Marine Geology Team in Menlo Park, CA. A hobby letterpress printer, **Terry** has been assisting in the Landelsburg reenactment since it was first held at Landels Elementary School in Mountain View, CA, in 1993. The printing press he brings to the school each year is a Kelsey Platen press; it's not quite right for Colonial times, but it has the advantage of being portable. "It's actually a type of press that would have been in use during the Gold Rush era," says **Terry**. "A printing press like those used in the

colonies in 1775 would be far too heavy to move around to different schools."

The day before each year's Landelsburg reenactment, **Terry** meets with his crew, a group of three or four students assigned to their roles by their teachers, to show them how the press works and how to set type for the *Landelsburg Gazette*. A single-page leaflet, the *Landelsburg Gazette* contains news and announcements typical of the year before the American Revolution. The kids reset some of the type each year, matching the date to that of the reenactment day and tailoring several items to feature their teachers and principal. The student assistants enjoy deciding which teacher's horse will be stolen that year (invariably, it's the principal who's tried for the crime), which teacher's flour mill

(Colonial Period continued on page 7)

Staff and Center News, continued

(Colonial Period continued from page 6)

will be advertised, and which teacher's tavern will host the meeting of the Association of the Sons of Liberty. They also enjoy working the press, and during a typical Landelsburg day, they will print and hand out 800 to 900 copies of the *Landelsburg Gazette*.

Each fifth-grader in the re-created colonial village, modeled after Williamsburg, VA, assumes the role of a citizen of the time and is fully knowledgeable about his or her character's position and responsibilities in the community. The activity is the culmination of several weeks of research. One former student, recalling the day, said, "That was the most fun I ever had in school!" It must be fun for **Terry**, too, who has attended every Landelsburg reenactment to date and also helps out with similar colonial reenactments at four other local schools every year. ❁



Terry Bruns (right) enjoys a tankard of apple juice while his student assistants print the *Landelsburg Gazette*.



Publications

Recently Published Articles

Bradbury, J.P., Colman, S.M., and Dean, W.E., 2004, Limnologic and climate environments at Upper Klamath Lake, Oregon, during the past 40,000 years: *Journal of Paleolimnology*, v. 31, no. 2 (special issue), p. 167-188.

Bradbury, J.P., Colman, S.M., and Reynolds, R.L., 2004, The history of recent limnologic changes and human impact on Upper Klamath Lake, Oregon: *Journal of Paleolimnology*, v. 31, no. 2 (special issue), p. 151-165.

Colman, S.M., Bradbury, J.P., McGeehin,

J.P., Holmes, C.W., Edginton, D., and Sarna-Wojcicki, A.M., 2004, Chronology of sediment deposition in Upper Klamath Lake, Oregon: *Journal of Paleolimnology*, v. 31, no. 2 (special issue), p. 139-149.

Colman, S.M., Bradbury, J.P., and Rosenbaum, J.G., 2004, Paleolimnology and paleoclimate studies in Upper Klamath Lake, Oregon: *Journal of Paleolimnology*, v. 31, no. 2 (special issue), p. 129-138.

Dartnell, Peter, and Gardner, J.V., 2004, Predicted seafloor facies of central Santa

Monica Bay, California: U.S. Geological Survey Open-File Report 2004-1081 [URL <http://pubs.usgs.gov/of/2004/1081/>].

Edwards, D.D., Lisle, J.T., and McFeters, G.A., 2003, The occurrence of indicator microorganisms in the sediments and Weddell seal feces of McMurdo Sound, Antarctica: American Society for Microbiology General Meeting, Washington, D.C., May 18-22, 2003 [URL <http://www.asmusa.org/memonly/abstracts/AbstractView.asp?AbstractID=81474>].

(Recently Published continued on page 8)

(Recently Published continued from page 7)

- Garrison, V., Bohnsack, J., Boulon, J., Davis, G., and Tilmant, J., 2003, Bambi meets Godzilla (science meets politics); the making of Virgin Islands Coral Reef National Monument and expansion of Buck Island Reef National Monument, U.S. Virgin Islands [abs.]: Association of Marine Laboratories of the Caribbean Scientific Meeting, 31st, Port of Spain, Trinidad and Tobago, West Indies, July 14-18, 2003, p. 56.
- Garrison, V.H., Richardson, L.L., and Smith, G.W., 2003, Disease on coral reefs—what do we know? [abs.]: United States-Russia Bilateral Conference on Aquatic and Marine Animal Health, 2d, Shepherdstown, W.Va., September 21-28, 2003, Proceedings, p. 39.
- Hallett, B.W., Paskevich, V.F., Poppe, L.J., Brand, S.G., and Blackwood, D.S., 2004, A pictorial survey of the bedrock beneath western Cape Cod, Massachusetts: U.S. Geological Survey Open-File Report 03-221 [CD-ROM].
- Lisle, J.T., and Priscu, J.C., 2003, The occurrence of lysogenic bacteria and microbial aggregates in the lakes of the McMurdo Dry Valleys, Antarctica: American Society for Microbiology 2003 General Meeting, Washington, D.C. May 18-22, 2003 [URL <http://www.asmsa.org/memonly/abstracts/AbstractView.asp?AbstractID=81819>].
- Martin, J.M., Hartl, K.M., Corbett, R.D., Swarzenski, P.W., and Cable, J.E., 2003, A multi-level pore-water sampler for permeable sediments: *Journal of Sedimentary Research*, v. 73, no. 1, p. 128-132.
- Morton, R.A., and Peterson, R.L., 2004, Coastal classification atlas; eastern panhandle of Florida coastal classification maps—Lighthouse Point to St. Andrew Bay entrance channel: U.S. Geological Survey Open-File Report 2004-1044 [CD-ROM, URL <http://pubs.usgs.gov/of/2004/1044/>].
- Plumlee, G.S., Morton, R.A., Boyle, T.P., Medlin, J.H., and Centeno, J.A., 2000, An overview of mining-related environmental and human health issues, Marinduque Island, Philippines; observations from a joint U.S. Geological Survey-Armed Forces Institute of Pathology reconnaissance field evaluation May 12-19, 2000: U.S. Geological Survey Open-File Report 00-397, 44 p. [URL <http://pubs.usgs.gov/of/2000/ofr-00-0397/>].
- Reynolds, R.L., Rosenbaum, J.G., Rapp, J., Kerwin, M.W., Bradbury, J.P., Colman, S.M., and Adam, D.P., 2004, Record of late Pleistocene glaciation and deglaciation in the southern Cascade Range; I. Petrologic evidence from lacustrine sediment in Upper Klamath Lake, southern Oregon: *Journal of Paleolimnology*, v. 31, no. 2 (special issue), p. 217-233.
- Riall, R.L., Marincioni, F., and Lightsom, F.L., 2004, Content metadata standards for marine science; a case study: U.S. Geological Survey Open-File Report OF 2004-1002 [URL <http://pubs.usgs.gov/of/2004/1002/>].
- Sommerfield, C.K., and Lee, H.J., 2004, Across-shelf sediment transport since the Last Glacial Maximum, southern California margin: *Geology*, v. 32, no. 4, p. 345-348; doi: 10.1130/G20182.1.
- Yates, K.K., and Halley, R.B., 2003, Measuring coral reef community metabolism using new benthic chamber technology: *Coral Reefs*, v. 22, p. 247-255.
- Yates, K.K., and Robbins, L.L., 2001, Microbial lime-mud production and its relation to climate change, *in* Gerhard, L.C., Harrison, W.E., and Hanson, B.M., eds., *Geological perspectives of global climate change*: Tulsa, Okla., American Association of Petroleum Geologists, p. 267-283. ✱

Publications Submitted for Director's Approval

- Butman, B., and Alexander, P.S., Time-series photographs of the sea floor in western Massachusetts Bay; June 1997 to June 1998: U.S. Geological Survey Data Series.
- Calderon, K., Dadisman, S.V., Kindinger, J.L., Flocks, J.G., Morton, R.A., and Wiese, D.S., Archive of digital boomer seismic reflection data collected during USGS cruises 94CCT01 and 95CCT01, eastern Texas and western Louisiana, 1994 and 1995: U.S. Geological Survey Open-File Report [DVD].
- Foxgrover, A.C., Higgins, S.A., Ingraça, M.K., Jaffe, B.E., and Smith, R.E., Deposition, erosion, and bathymetric change in south San Francisco Bay; 1858-1983: U.S. Geological Survey Open-File Report.
- Garrison, V.H., Carr, R.S., Foreman, W.F., Griffin, D.W., Kellogg, C.A., Majewski, M.S., Shinn, E.A., and Simonich, S.L., African and Asian dust, and decline on coral reefs [abs.]: Association for Tropical Biology and Conservation Annual Meeting, Miami, Fla., July 12-15, 2004.
- Griffin, D.W., and Kellogg, C.A., Dust storms and their impact on ocean and human health: *Journal of EcoHealth*.
- Hall, D.K., Williams, R.S., Jr., Steffen, K., and Chien, J.Y.L., Analysis of summer 2002 melt extent on the Greenland ice sheet using MODIS and SSM/I data [abs.]: International Geoscience and Remote Sensing Symposium (IGARSS), Anchorage, Alaska, September 20-24, 2004.
- Halley, R.B., and Yates, K.K., "Live" sand dissolution in response to elevated CO₂: Florida Keys: *American Journal of Science*.
- Hutchinson, D.R., Ruppel, C.R., Pohlman, J.W., Hart, P., Dugan, B., Snyder, F., and Coffin, R., An integrated geological, geophysical, and geochemical analysis of subsurface gas hydrates in the northern Gulf of Mexico [abs.]: AAPG Hedberg Research Conference, Vancouver, British Columbia, Canada, September 12-16, 2004.
- Hutchinson, D.R., and Williams, R.S., Jr., The importance of public science at the Frontiers of Democracy [abs.]: *Public Science in Liberal Democracy—The Challenge to Science and Democracy*, Saskatoon, Saskatchewan, Canada, October 14-16, 2004.
- Lisle, J.T., Smith, J.J., Edwards, D.D., and McFeters, G.A., Microbial indicator and *Clostridium perfringens* occurrence in waters, sediments, drinking water and Weddell seal feces collected at McMurdo

(Publications Submitted continued on page 9)

Publications, continued

(Publications Submitted continued from page 8)

- Station, Antarctica: Applied and Environmental Microbiology.
- Meunier, T.K., U.S. Geological Survey scientific accomplishments in Antarctica; 1995-96 field season, *in* Williams, R.S., Jr., and Ferrigno, J.G., eds., U.S. Geological Survey Scientific Accomplishments in Antarctica: U.S. Geological Survey Fact Sheet.
- Morton, R.A., Clifton, E.H., Buster, N.A., Peterson, R.L., and Gelfenbaum, G., Large-scale, long-term cycles of coastal change at the entrance to Willapa Bay, Washington: Marine Geology.
- Normark, W.R., and McGann, Mary, Late Quaternary stratigraphy of the inner basins of the California Continental Borderland; part A, Santa Monica Basin: U.S. Geological Survey Scientific Investigations Report.
- Pendleton, E.A., Williams, S.J., and Thielert, E.R., Coastal vulnerability assessment of Assateague Island National Seashore (ASIS) to sea-level rise: U.S. Geological Survey Open-File Report 2004-1020.
- Raabe, E.A., and Katz, B.G., Suwannee River Basin and Estuary Initiative; executive summary: U.S. Geological Survey Open-File Report.
- Sallenger, A.H., Wright, C.W., Guy, K., and Morgan, K., Assessing storm-induced damage and dune erosion using airborne lidar; examples from Hurricane Isabel: Shore and Beach.
- Sasagawa, G., Mullins, J.L., Meunier, T.K., McAdoo, D., and Klopping, F., Absolute gravimetry in Antarctica; 1995 observations at McMurdo Station and Terra Nova Bay Station: U.S. Geological Survey Open-File Report.
- Scanlon, K.M., and Ackerman, S.D., Geographic database of deep-water coral habitats off eastern and southern United States [abs.]: Marine Geological and Biological Habitat Mapping (GeoHab) Annual Meeting, Galway, Ireland, May 5-7, 2004.
- Scanlon, K.M., and Ackerman, S.D., Sedimentary environments in the Flower Garden Banks National Marine Sanctuary, northwestern Gulf of Mexico outer shelf [abs.]: Marine Geological and Biological Habitat Mapping (GeoHab) Annual Meeting, Galway, Ireland, May 5-7, 2004.
- Snyder, N.P., Rubin, D.M., Alpers, C.N., Childs, J.R., Curtis, J.A., Flint, L.E., Wright, S.A., Estimating rates and properties of sediment accumulation behind a dam—Englebright Lake, Yuba River, northern California: Water Resources Research.
- Stockdon, H.F., Holman, R.A., Howd, P.A. and Sallenger, A.H., Empirical parameterization of setup, swash, and runup: *Journal of Geophysical Research*.
- Todd, B.J., Kostylev, V.E., Valentine, P.C., and Longva, O., Marine geology and benthic habitat of German Bank, Scotian Shelf, Atlantic Canada [abs.]: Marine Geological and Biological Habitat Mapping (GeoHab) Annual Meeting, Galway, Ireland, May 5-7, 2004.
- Topping, D.J., Rubin, D.M., and Melis, T.S., Coupled changes in sand grain size and sand transport driven by changes in the upstream supply of sand in the Colorado River: Hanse Institute for Advanced Study International Workshop, Delmenhorst, Germany, April 15-18, 2004, Proceedings.
- Valentine, P.C., Fuller, S.J., and Scully, L.A., Terrain ruggedness analysis and distribution of boulder ridges in the Stellwagen Bank National Marine Sanctuary region, Gulf of Maine, New England [abs.]: Marine Geological and Biological Habitat Mapping (GeoHab) Annual Meeting, Galway, Ireland, May 5-7, 2004.
- Winters, W.J., Waite, W.F., Pecher, I.A., Mason, D.H., Hutchinson, D.R., Gilbert, L.Y., Birchwood, R.A., Noeth, S., and Jones, E., Comparison of methane gas hydrate formation on physical properties of fine- and coarse-grained sediments [abs.]: AAPG Hedberg Research Conference, Vancouver, British Columbia, Canada, September 12-16, 2004.
- Yates, K.K., Gulf of Mexico estuaries integrated science—Tampa Bay study; five-year science plan: U.S. Geological Survey Open-File Report. ❄